

安裝 MingGW

hydai

檔案 常用 共用 檢視

瀏覽窗格 預覽窗格 詳細資料窗格

窗格


版面配置 超大圖示 大圖示 中圖示 小圖示 清單 詳細資料 並排 內容

目前檢視 排序方式 分組方式 新增欄 調整所有欄位至最適大小

顯示/隱藏 項目核取方塊 副檔名 隱藏的項目 隱藏 選取的項目 選項

← → ↶ ↷ ↵ 本機 > 下載 > 搜尋 下載

- ★ 我的最愛
 - iCloud Drive (Mac)
 - 下載
 - 桌面
 - 最近的位置
- SkyDrive
- 家用群組
 - 戴宏穎
- 本機
 - 下載
 - 文件
 - 音樂
 - 桌面
 - 圖片
 - 影片
 - 本機磁碟 (C:)
 - DVD 光碟機 (D:) IR1
 - Transcend on 'psf'
 - MobileBackups on
 - iCloud on 'psf' (Y:)
 - Home on 'psf' (Z:)
- 網路



到課程網下載 mingw-get-setup
 短連結：<http://ppt.cc/Ytse>

2 個項目

應用程式工具 下載

檔案 常用 共用 檢視 管理

瀏覽窗格 預覽窗格 詳細資料窗格

窗格

版面配置 超大圖示 大圖示 中圖示 小圖示 清單 詳細資料 並排 內容

排序方式 分組方式 新增欄 調整所有欄位至最適大小 目前檢視

項目核取方塊 副檔名 隱藏的項目 隱藏 選取的項目 顯示/隱藏 選項

搜尋 下載

1. 點擊

我的最愛

- iCloud Drive (Mac)
- 下載
- 桌面
- 最近的位置

SkyDrive

家用群組

- 戴宏穎

本機

- 下載
- 文件
- 音樂
- 桌面
- 圖片
- 影片
- 本機磁碟 (C:)
- DVD 光碟機 (D:) IR1
- Transcend on 'psf'
- MobileBackups on
- iCloud on 'psf' (Y:)
- Home on 'psf' (Z:)

網路

freelut-MinGW-3.0.0-1.mp

mingw-get-setup

MinGW Installation Manager Setup Tool

mingw-get version 0.6.2-beta-20131004-1

Written by Keith Marshall
Copyright © 2009-2013, MinGW.org Project
<http://mingw.org>



This is free software; see the product documentation or source code, for copying and redistribution conditions. There is NO WARRANTY; not even an implied WARRANTY OF MERCHANTABILITY, nor of FITNESS FOR ANY PARTICULAR PURPOSE.

This tool will guide you through the first time setup of the MinGW Installation Manager software (mingw-get) on your computer; additionally, it will offer you the opportunity to install some other common components of the MinGW software distribution.

After first time setup has been completed, you should invoke the MinGW Installation Manager directly, (either the CLI mingw-get.exe variant, or its GUI counterpart, according to your preference), when you wish to add or to remove components, or to upgrade your MinGW software installation.

View Licence Install Cancel

2. 點擊



1. 直接按下 continue



應用程式工具 下載

檔案 常用 共用 檢視 管理

瀏覽窗格 預覽窗格 詳細資料窗格

窗格

版面配置 超大圖示 大圖示 中圖示 小圖示 清單 詳細資料 並排 內容

目前檢視 排序方式 分組方式 新增欄 調整所有欄位至最適大小

顯示/隱藏 項目核取方塊 副檔名 隱藏的項目 隱藏 選取的項目 選項

← → ↶ ↷ ↵ 本機 > 下載 ↻ 搜尋 下載 🔍

★ 我的最愛

- iCloud Drive (Mac)
- 下載
- 桌面
- 最近的位置

SkyDrive

家用群組

- 戴宏穎

本機

- 下載
- 文件
- 音樂
- 桌面
- 圖片
- 影片
- 本機磁碟 (C:)
- DVD 光碟機 (D:) IR1
- Transcend on 'psf'
- MobileBackups on
- iCloud on 'psf' (Y:)
- Home on 'psf' (Z:)

網路

freelut-MinGW-3.0.0-1.mp

mingw-get-setup

MinGW Installation Manager Setup Tool

mingw-get version 0.6.2-beta-20131004-1

Step 2: Download and Set Up MinGW Installation Manager

Download Progress

Connecting to prdownloads.sourceforge.net ... -

_____ of _____ : _____


Details

View Licence Continue Quit

1. 等它跑完

2 個項目 已選取 1 個項目 84.5 KB

Windows taskbar with icons for Start, File Explorer, Chrome, and the MinGW installation tool. System tray shows the time as 12:11 on 2015/4/17.



1. 直接按下 continue

MinGW Installation Manager

Installation Package Settings Help

Package	Class	Installed Version	Repository Version	Description
<input checked="" type="checkbox"/> mingw-developer-toolkit	bin		2013072300	An MSYS Installation for MinGW Developers (meta)
<input checked="" type="checkbox"/> mingw32-base	bin		2013072200	A Basic MinGW Installation
<input type="checkbox"/> mingw32-gcc-ada	bin		4.8.1-4	The GNU Ada Compiler
<input type="checkbox"/> mingw32-gcc-fortran	bin		4.8.1-4	The GNU FORTRAN Compiler
<input checked="" type="checkbox"/> mingw32-gcc-g++	bin		4.8.1-4	The GNU C++ Compiler
<input type="checkbox"/> mingw32-gcc-objc	bin		4.8.1-4	The GNU Objective-C Compiler
<input checked="" type="checkbox"/> msys-base	bin		2013072300	A Basic MSYS Installation (meta)

General Description Dependencies Installed Files Versions

A Basic MSYS Installation (meta)
This meta package contains the components necessary to create a basic, small, but relatively useful MSYS installation. It includes the core system, bash, various command line utilities, and archiving/compression tools. It attempts to replicate, with certain judicious additions and deletions, the set of tools originally installed by the old MSYS monolithic installers.

1. 勾選這幾個 package
- mingw-developer-toolkit
 - mingw32-base
 - mingw32-gcc-g++
 - msys-base

iCloud on 'psf' (Y:)
Home on 'psf' (Z:)

網路

2 個項目 已選取 1 個項目 84.5 KB

上午 12:14
2015/4/17

MinGW Installation Manager

Installation Package Settings Help

- Update Catalogue
- Mark All Upgrades
- Apply Changes
- Quit Alt+F4

Package	Class	Installed Version	Repository Version	Description
mingw-developer-toolkit	bin		2013072300	An MSYS Installation for MinGW Developers (meta)
mingw32-base	bin		2013072200	A Basic MinGW Installation
mingw32-gcc-ada	bin		4.8.1-4	The GNU Ada Compiler
mingw32-gcc-fortran	bin		4.8.1-4	The GNU FORTRAN Compiler
mingw32-gcc-g++	bin		4.8.1-4	The GNU C++ Compiler
mingw32-gcc-objc	bin		4.8.1-4	The GNU Objective-C Compiler
<input checked="" type="checkbox"/> msys-base	bin		2013072300	A Basic MSYS Installation (meta)

MSYS Base System
MinGW Developer Toolkit
MSYS System Builder

General Description Dependencies Installed Files Versions

A Basic MSYS Installation (meta)
This meta package contains the components necessary to create a basic, small, but relatively useful MSYS installation. It includes the core system, bash, various command line utilities, and archiving/compression tools. It attempts to replicate, with certain judicious additions and deletions, the set of tools originally installed by the old MSYS monolithic installers.

1. 點擊 Installation
2. Apply Changes

iCloud on 'psf' (Y:)
Home on 'psf' (Z:)
網路

2 個項目 已選取 1 個項目 84.5 KB

MinGW Installation Manager

Installation Package Settings Help

Package	Class	Installed Version	Repository Version	Description
mingw-developer-toolkit	bin		2013072300	An MSYS Installation for MinGW Developers (meta)
mingw32-base	bin		2013072200	A Basic MinGW Installation
				The GNU Ada Compiler
				The GNU FORTRAN Compiler
				The GNU C++ Compiler
				The GNU Objective-C Compiler
				A Basic MSYS Installation (meta)

Schedule of Pending Actions

Okay to proceed?

The package changes itemised below will be implemented when you choose "Apply"

Apply

Defer

Discard

0 installed packages will be removed

1. 直接按下 Apply

0 installed packages will be upgraded

109 new/upgraded packages will be installed

- libmpfr-3.1.2-2-mingw32-dll-4.tar
- libmpc-1.0.1-2-mingw32-dll-3.tar
- libquadmath-4.8.1-4-mingw32-dll-0.tar
- libexpat-2.1.0-1-mingw32-dll-1.tar
- libgomp-4.8.1-4-mingw32-dll-1.tar
- libssp-4.8.1-4-mingw32-dll-0.tar

ful MSYS installation. It includes the core system, bash, various command line as and deletions, the set of tools originally installed by the old MSYS monolithic

iCloud on 'psf' (Y:)

Home on 'psf' (Z:)

網路

2 個項目 已選取 1 個項目 84.5 KB

MinGW Installation Manager

Installation Package Settings Help

Basic Setup	Package	Class	Installed Version	Repository	Version	Description
A Basic MSYS Installation for MinGW Developers (meta)						An MSYS Installation for MinGW Developers (meta)
A Basic MinGW Installation						A Basic MinGW Installation
The GNU Ada Compiler						The GNU Ada Compiler
The GNU FORTRAN Compiler						The GNU FORTRAN Compiler
The GNU C++ Compiler						The GNU C++ Compiler
The GNU Objective-C Compiler						The GNU Objective-C Compiler
A Basic MSYS Installation (meta)						A Basic MSYS Installation (meta)

Applying Scheduled Changes

Extracting share/vim/vim73/autoload/xml/xhtml11.vim

Close dialogue automatically, when activity is complete. Close

Details

```
install: liblzma-5.0.3-1-msys-1.0.17-dll-5.tar.lzma
installing liblzma-5.0.3-1-msys-1.0.17-dll-5.tar.lzma
install: libltdl-2.4-1-msys-1.0.15-dll-7.tar.lzma
installing libltdl-2.4-1-msys-1.0.15-dll-7.tar.lzma
install: libintl-0.18.1.1-1-msys-1.0.17-dll-8.tar.lzma
installing libintl-0.18.1.1-1-msys-1.0.17-dll-8.tar.lzma
install: libxml2-2.7.6-1-msys-1.0.13-dll-2.tar.lzma
installing libxml2-2.7.6-1-msys-1.0.13-dll-2.tar.lzma
install: libexpat-2.0.1-1-msys-1.0.13-dll-1.tar.lzma
installing libexpat-2.0.1-1-msys-1.0.13-dll-1.tar.lzma
install: libgmp-5.0.1-1-msys-1.0.13-dll-10.tar.lzma
installing libgmp-5.0.1-1-msys-1.0.13-dll-10.tar.lzma
install: libcrypt-1.1_1-3-msys-1.0.13-dll-0.tar.lzma
installing libcrypt-1.1_1-3-msys-1.0.13-dll-0.tar.lzma
install: libgdbm-1.8.3-3-msys-1.0.13-dll-3.tar.lzma
installing libgdbm-1.8.3-3-msys-1.0.13-dll-3.tar.lzma
install: libbz2-1.0.6-1-msys-1.0.17-dll-1.tar.lzma
installing libbz2-1.0.6-1-msys-1.0.17-dll-1.tar.lzma
install: zlib-1.2.7-1-msys-1.0.17-dll.tar.lzma
installing zlib-1.2.7-1-msys-1.0.17-dll.tar.lzma
install: texinfo-4.13a-2-msys-1.0.13-bin.tar.lzma
installing texinfo-4.13a-2-msys-1.0.13-bin.tar.lzma
install: vim-7.3-2-msys-1.0.16-bin.tar.lzma
installing vim-7.3-2-msys-1.0.16-bin.tar.lzma
```

... useful MSYS installation. It includes the core system, bash, various command line utilities and deletions, the set of tools originally installed by the old MSYS monolithic

1. 等它跑完

iCloud on 'psf' (Y:)

Home on 'psf' (Z:)

網路

2 個項目 已選取 1 個項目 84.5 KB

上午 12:19
2015/4/17

MinGW Installation Manager

Installation Package Settings Help

Package	Class	Installed Version	Repository Version	Description
---------	-------	-------------------	--------------------	-------------

A Basic MSYS Installation (meta)				An MSYS Installation for MinGW Developers (meta)
A Basic MinGW Installation				A Basic MinGW Installation
The GNU Ada Compiler				The GNU Ada Compiler
The GNU FORTRAN Compiler				The GNU FORTRAN Compiler
The GNU C++ Compiler				The GNU C++ Compiler
The GNU Objective-C Compiler				The GNU Objective-C Compiler
A Basic MSYS Installation (meta)				A Basic MSYS Installation (meta)

Applying Scheduled Changes

All changes were applied successfully; you may now close this dialogue.

Close dialogue automatically, when activity is complete.

Close

Details

```
install: guile-1.8.7-2-msys-1.0.15-bin.tar.lzma
installing guile-1.8.7-2-msys-1.0.15-bin.tar.lzma
install: flex-2.5.35-2-msys-1.0.13-bin.tar.lzma
installing flex-2.5.35-2-msys-1.0.13-bin.tar.lzma
install: diffstat-1.54-1-msys-1.0.17-bin.tar.lzma
installing diffstat-1.54-1-msys-1.0.17-bin.tar.lzma
install: cvs-1.12.13-2-msys-1.0.13-bin.tar.lzma
installing cvs-1.12.13-2-msys-1.0.13-bin.tar.lzma
install: coreutils-5.97-3-msys-1.0.13-ext.tar.lzma
installing coreutils-5.97-3-msys-1.0.13-ext.tar.lzma
install: bsdcpio-2.8.3-1-msys-1.0.13-bin.tar.lzma
installing bsdcpio-2.8.3-1-msys-1.0.13-bin.tar.lzma
install: bsdtar-2.8.3-1-msys-1.0.13-bin.tar.lzma
installing bsdtar-2.8.3-1-msys-1.0.13-bin.tar.lzma
install: bison-2.4.2-1-msys-1.0.13-bin.tar.lzma
installing bison-2.4.2-1-msys-1.0.13-bin.tar.lzma
install: autogen-5.10.1-1-msys-1.0.15-bin.tar.lzma
installing autogen-5.10.1-1-msys-1.0.15-bin.tar.lzma
install: msys-base-2013072300-msys-bin.meta
installing msys-base-2013072300-msys-bin.meta
install: mingw32-autotools-2010090601-mingw32-bin.meta
installing mingw32-autotools-2010090601-mingw32-bin.meta
install: mingw-developer-toolkit-2013072300-msys-bin.meta
installing mingw-developer-toolkit-2013072300-msys-bin.meta
```


1. Close 安裝完成

very useful MSYS installation. It includes the core system, bash, various command line conditions and deletions, the set of tools originally installed by the old MSYS monolithic

- iCloud on 'psf' (Y:)
- Home on 'psf' (Z:)

網路

2 個項目 已選取 1 個項目 84.5 KB



1. 沒有意外的話可以在 C 槽底下發現 MinGW 的資料夾

檔案 常用 共用 檢視

瀏覽窗格 預覽窗格 詳細資料窗格

版面配置 超大圖示 大圖示 中國示 小圖示 清單 詳細資料 並排 內容

排序方式 分組方式 新增欄 調整所有欄位至最適大小

項目核取方塊 副檔名 隱藏的項目 隱藏 選取的項目 選項

顯示/隱藏

← → ↻ 本機 > 本機磁碟 (C:) > MinGW > 搜尋 MinGW

★ 我的最愛

- iCloud Drive (Mac)
- 下載
- 桌面
- 最近的位置

SkyDrive

- 家用群組
- 戴宏穎

本機

- 下載
- 文件
- 音樂
- 桌面
- 圖片
- 影片

本機磁碟 (C:)

- DVD 光碟機 (D:) IR1
- Transcend on 'psf'
- MobileBackups on
- iCloud on 'psf' (Y:)
- Home on 'psf' (Z:)

網路

名稱	修改日期	類型
bin	2015/4/17 上午 1...	檔案資料夾
include	2015/4/17 上午 1...	檔案資料夾
lib	2015/4/17 上午 1...	檔案資料夾
libexec	2015/4/17 上午 1...	檔案資料夾
mingw32	2015/4/17 上午 1...	檔案資料夾
msys	2015/4/17 上午 1...	檔案資料夾
share	2015/4/17 上午 1...	檔案資料夾
var	2015/4/17 上午 1...	檔案資料夾

1. 點擊進去 MinGW 裏
2. 再點進去 bin 裏



C:\MinGW\bin

1. 點一下這裡，並複製這個路徑

- 我的最愛
 - iCloud Drive (Mac)
 - 下載
 - 桌面
 - 最近的位置
- SkyDrive
- 家用群組
 - 戴宏穎
- 本機
 - 下載
 - 文件
 - 音樂
 - 桌面
 - 圖片
 - 影片
 - 本機磁碟 (C:)
 - DVD 光碟機 (D:) IR1
 - Transcend on 'psf'
 - MobileBackups on
 - iCloud on 'psf' (Y:)
 - Home on 'psf' (Z:)
- 網路

名稱	修改日期	類型	大小
aclocal	2009/7/25 上午 1...	檔案	5 KB
aclocal-1.4	2009/7/25 下午 0...	4 檔案	12 KB
aclocal-1.5	2009/7/25 下午 0...	5 檔案	14 KB
aclocal-1.6	2009/7/25 下午 0...	6 檔案	13 KB
aclocal-1.7	2009/7/25 下午 0...	7 檔案	13 KB
aclocal-1.8	2009/7/25 下午 0...	8 檔案	19 KB
aclocal-1.9	2009/7/25 上午 1...	9 檔案	20 KB
aclocal-1.10	2009/7/25 上午 1...	10 檔案	31 KB
aclocal-1.11	2010/9/12 上午 1...	11 檔案	31 KB
addr2line	2014/1/10 上午 0...	應用程式	651 KB
ar	2014/1/10 上午 0...	應用程式	677 KB
as	2014/1/10 上午 0...	應用程式	1,256 KB
autoconf	2011/9/5 下午 02...	檔案	5 KB
autoconf-2.13	2009/7/25 上午 1...	13 檔案	5 KB
autoconf-2.68	2011/9/5 下午 09...	68 檔案	15 KB
autoheader	2011/9/5 下午 02...	檔案	5 KB
autoheader-2.13	2009/7/25 上午 1...	13 檔案	9 KB
autoheader-2.68	2011/9/5 下午 09...	68 檔案	9 KB
autom4te	2011/9/5 下午 02...	檔案	5 KB
autom4te-2.68	2011/9/5 下午 09...	68 檔案	32 KB
automake	2009/7/25 上午 1...	檔案	5 KB
automake-1.4	2009/7/25 下午 0...	4 檔案	195 KB
automake-1.5	2009/7/25 下午 0...	5 檔案	213 KB
automake-1.6	2009/7/25 下午 0...	6 檔案	232 KB
automake-1.7	2009/7/25 下午 0...	7 檔案	265 KB
automake-1.8	2009/7/25 下午 0...	8 檔案	207 KB
automake-1.9	2009/7/25 上午 1...	9 檔案	218 KB
automake-1.10	2009/7/25 上午 1...	10 檔案	229 KB
automake-1.11	2010/9/12 上午 1...	11 檔案	252 KB
autopoint	2014/4/27 上午 0...	檔案	24 KB


125 個項目



← → ↻ ↺ 本機 > 本機磁碟 (C:) > MinGW > bin 搜尋 bin

名稱	修改日期	類型	大小
aclocal	2009/7/25 上午 1...	檔案	5 KB
aclocal-1.4	2009/7/25 下午 0...	4 檔案	12 KB
aclocal-1.5	2009/7/25 下午 0...	5 檔案	14 KB
aclocal-1.6	2009/7/25 下午 0...	6 檔案	13 KB
aclocal-1.7	2009/7/25 下午 0...	7 檔案	13 KB
aclocal-1.8	2009/7/25 下午 0...	8 檔案	19 KB
aclocal-1.9	2009/7/25 上午 1...	9 檔案	20 KB
aclocal-1.10	2009/7/25 上午 1...	10 檔案	31 KB
aclocal-1.11	2010/9/12 上午 1...	11 檔案	31 KB
addr2line	2014/1/10 上午 0...	應用程式	651 KB
	2014/1/10 上午 0...	應用程式	677 KB
	2014/1/10 上午 0...	應用程式	1,256 KB
	2011/9/5 下午 02...	檔案	5 KB
	2009/7/25 上午 1...	13 檔案	5 KB
	2011/9/5 下午 09...	68 檔案	15 KB
	2011/9/5 下午 02...	檔案	5 KB
	2009/7/25 上午 1...	13 檔案	9 KB
	2011/9/5 下午 09...	68 檔案	9 KB
	2011/9/5 下午 02...	檔案	5 KB
	2011/9/5 下午 09...	68 檔案	32 KB
	2009/7/25 上午 1...	檔案	5 KB
	2009/7/25 下午 0...	4 檔案	195 KB
	2009/7/25 下午 0...	5 檔案	213 KB
	2009/7/25 下午 0...	6 檔案	232 KB
	2009/7/25 下午 0...	7 檔案	265 KB
	2009/7/25 下午 0...	8 檔案	207 KB
	2009/7/25 上午 1...	9 檔案	218 KB
	2009/7/25 上午 1...	10 檔案	229 KB
	2010/9/12 上午 1...	11 檔案	252 KB
autopoint	2014/4/27 上午 0...	檔案	24 KB

1. 對本機按右鍵



2. 點擊內容

bin

檔案 常用 共用 檢視

預覽窗格 詳細資料窗格

版面配置 目前檢視 顯示/隱藏 選項

本機 本機磁碟 (C:) >

我的最愛

- iCloud Drive (Mac)
- 下載
- 桌面
- 最近的位置

SkyDrive

家用群組

- 戴宏穎

本機

- 下載
- 文件
- 音樂
- 桌面
- 圖片
- 影片

本機磁碟 (C:)

- DVD 光碟機 (D:) IR1
- Transcend on 'psf'
- MobileBackups on
- iCloud on 'psf' (Y:)
- Home on 'psf' (Z:)

網路

125 個項目

1. 點擊進階系統設定

系統

控制台 > 系統及安全性 > 系統

搜尋控制台

控制台首頁

- 裝置管理員
- 遠端設定
- 系統保護
- 進階系統設定**

檢視電腦的基本資訊

Windows 版本

Windows 8.1 企業版

© 2013 Microsoft Corporation. 著作權所有，並保留一切權利。

Windows 8

系統

處理器: Intel(R) Core(TM) i7-3820QM CPU @ 2.70GHz 2.70 GHz

安裝的記憶體 (RAM): 8.00 GB

系統類型: 64 位元作業系統, x64 型處理器

手寫筆與觸控: 此顯示器不提供手寫筆或觸控式輸入功能。

電腦名稱、網域及工作群組設定

電腦名稱: hydai-pc [變更設定](#)

完整電腦名稱: hydai-pc

電腦描述:

工作群組: WORKGROUP

Windows 啟用

Windows 未啟用。 [閱讀 Microsoft 軟體授權條款](#)

產品識別碼: 00261-30000-00000-AA825 [啟用 Windows](#)

請參閱

- 重要訊息中心
- Windows Update

名稱	日期時間	檔案	大小
aclocal			
aclocal-1.4			
aclocal-1.5			
aclocal-1.6			
aclocal-1.7			
aclocal-1.8			
aclocal-1.9			
aclocal-1.10			
aclocal-1.11			
addr2line			
as			
autoconf			
autoconf-2.13			
autoconf-2.68			
autoheader			
autoheader-2.13			
autoheader-2.68			
autom4te			
autom4te-2.68			
automake			
automake-1.4			
automake-1.5			
automake-1.6			
automake-1.7			
automake-1.8	2009/7/25 下午 0...	8 檔案	207 KB
automake-1.9	2009/7/25 上午 1...	9 檔案	218 KB
automake-1.10	2009/7/25 上午 1...	10 檔案	229 KB
automake-1.11	2010/9/12 上午 1...	11 檔案	252 KB
autopoint	2014/4/27 上午 0...	檔案	24 KB

bin

檔案 常用 共用 檢視

預覽窗格 詳細資料窗格

版面配置 目前檢視 顯示/隱藏 選項

我的最愛

- iCloud Drive (Mac)
- 下載
- 桌面
- 最近的位置

SkyDrive

家用群組

- 戴宏穎

本機

- 下載
- 文件
- 音樂
- 桌面
- 圖片
- 影片

本機磁碟 (C:)

- DVD 光碟機 (D:) IR
- Transcend on 'psf'
- MobileBackups on
- iCloud on 'psf' (Y:)
- Home on 'psf' (Z:)

網路

系統內容

電腦名稱 硬體 進階 系統保護 遠端

您必須以系統管理員的身分登入，才能變更這裡的大部分設定。

效能
視覺效果、處理器排程、記憶體使用量和虛擬記憶體
設定(S)...

使用者設定檔
關於您登入時的桌面設定
設定(E)...

啟動及修復
系統啟動、系統失敗、及偵錯資訊
設定(T)...

環境變數(N)...

確定 取消 套用(A)

1. 進階分頁

2. 點擊環境變數

系統

搜尋 bin

搜尋控制台

Windows 8

Intel(R) Core(TM) i7-3820QM CPU @ 2.70GHz 2.70 GHz
8.00 GB
64 位元作業系統, x64 型處理器
此顯示器不提供手寫筆或觸控式輸入功能。

組設定

- hydai-pc 變更設定
- hydai-pc
- WORKGROUP

請 Microsoft 軟體授權條款

0000-00000-AA825 啟用 Windows

automake-1.6	Windows Update		
automake-1.7			
automake-1.8	2009/7/25 下午 0...	8 檔案	207 KB
automake-1.9	2009/7/25 上午 1...	9 檔案	218 KB
automake-1.10	2009/7/25 上午 1...	10 檔案	229 KB
automake-1.11	2010/9/12 上午 1...	11 檔案	252 KB
autopoint	2014/4/27 上午 0...	檔案	24 KB

bin

檔案 常用 共用 檢視

預覽窗格 詳細資料窗格

版面配置 目前檢視 顯示/隱藏 選項

我的最愛

- iCloud Drive (Mac)
- 下載
- 桌面
- 最近的位置
- SkyDrive
- 家用群組
- 戴宏穎

本機

- 下載
- 文件
- 音樂
- 桌面
- 圖片
- 影片
- 本機磁碟 (C:)
- DVD 光碟機 (D:) IR
- Transcend on 'psf'
- MobileBackups on
- iCloud on 'psf' (Y:)
- Home on 'psf' (Z:)

網路

系統內容

電腦名稱 硬體 進階 系統保護 遠端

環境變數

宏類的使用者變數(U)

變數	值
TEMP	%USERPROFILE%\AppData\Local\Temp
TMP	%USERPROFILE%\AppData\Local\Temp

新增(N)... 編輯(E)... 刪除(D)

系統變數(S)

變數	值
NUMBER_OF_PR...	4
OS	Windows_NT
Path	C:\Program Files (x86)\Parallels\Parallels ...
PATHEXT	.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;...

新增(W)... 編輯(E)... 刪除(L)

確定 取消

1. 系統變數，找到 Path

2. 點擊編輯

系統

搜尋 bin

搜尋控制台

Windows 8

Intel(R) Core(TM) i7-3820QM CPU @ 2.70GHz 2.70 GHz

8.00 GB

64 位元作業系統, x64 型處理器

此顯示器不提供手寫筆或觸控式輸入功能。

設定

hydai-pc 變更設定

hydai-pc

WORKGROUP

Microsoft 軟體授權條款

0000-00000-AA825 啟用 Windows

名稱	日期時間	檔案數	大小
automake-1.7			
automake-1.8	2009/7/25 下午 0...	8 檔案	207 KB
automake-1.9	2009/7/25 上午 1...	9 檔案	218 KB
automake-1.10	2009/7/25 上午 1...	10 檔案	229 KB
automake-1.11	2010/9/12 上午 1...	11 檔案	252 KB
autopoint	2014/4/27 上午 0...	檔案	24 KB

bin

檔案 常用 共用 檢視

預覽窗格 詳細資料窗格

版面配置 目前檢視 顯示/隱藏 選項

我的最愛

- iCloud Drive (Mac)
- 下載
- 桌面
- 最近的位置

SkyDrive

家用群組

- 戴宏穎

本機

- 下載
- 文件
- 音樂
- 桌面
- 圖片
- 影片

本機磁碟 (C:)

- DVD 光碟機 (D:) IR...
- Transcend on 'psf'
- MobileBackups on
- iCloud on 'psf' (Y:)
- Home on 'psf' (Z:)

網路

系統內容

電腦名稱 硬體 進階 系統保護 遠端

環境變數

編輯系統變數

變數名稱(N): Path

變數值(V): C:\MinGW\bin;C:\Program Files (x86)\Parallels\Parallels ...

系統變數(S)

變數	值
NUMBER_OF_PR...	4
OS	Windows_NT
Path	C:\Program Files (x86)\Parallels\Parallels ...
PATHEXT	.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;...

新增(N)... 編輯(E)... 刪除(L)

確定 取消

125 個項目

- automake-1.7
- automake-1.8 2009/7/25 下午 0... 8 檔案 207 KB
- automake-1.9 2009/7/25 上午 1... 9 檔案 218 KB
- automake-1.10 2009/7/25 上午 1... 10 檔案 229 KB
- automake-1.11 2010/9/12 上午 1... 11 檔案 252 KB
- autopoint 2014/4/27 上午 0... 檔案 24 KB

系統

搜尋 bin

搜尋控制台

Windows 8

Intel(R) Core(TM) i7-3820QM CPU @ 2.70GHz 2.70 GHz

8.00 GB

64 位元作業系統, x64 型處理器

此顯示器不提供手寫筆或觸控式輸入功能。

設定

- hydai-pc
- hydai-pc
- WORKGROUP


變更設定

Microsoft 軟體授權條款

0000-00000-AA825

啟用 Windows

1. 在變數值這邊最前面加上剛才複製的 MinGW 路徑
2. 跟原本的值用分號(;)隔開



本機 > 本機磁碟 (C:) > MinGW > bin 搜尋 bin

```

C:\Windows\system32\cmd.exe
Microsoft Windows [版本 6.3.9600]
(c) 2013 Microsoft Corporation. 著作權所有，並保留一切權利。

C:\Windows\system32>g++
g++: fatal error: no input files
compilation terminated.

C:\Windows\system32>_

```

1. 打開 cmd
2. 在指令那邊打上 g++
3. 訊息出現 g++ fatal ... 就成功了

微軟注音 半：

automake-1.0	2009/7/25 上午 1...	檔案	5 KB
automake	2009/7/25 下午 0...	4 檔案	195 KB
automake-1.4	2009/7/25 下午 0...	5 檔案	213 KB
automake-1.5	2009/7/25 下午 0...	6 檔案	232 KB
automake-1.6	2009/7/25 下午 0...	7 檔案	265 KB
automake-1.7	2009/7/25 下午 0...	8 檔案	207 KB
automake-1.8	2009/7/25 上午 1...	9 檔案	218 KB
automake-1.9	2009/7/25 上午 1...	10 檔案	229 KB
automake-1.10	2010/9/12 上午 1...	11 檔案	252 KB
automake-1.11	2014/4/27 上午 0...	檔案	24 KB
autopoint			

125 個項目

